Notice of Allowability	Application No.	Applicant(s)	
	10/584,812	ALVAREZ, LUIS MARQUEZ	
	Examiner	Art Unit	
	Michael J. Araj	3733	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to			
2. The allowed claim(s) is/are <u>1-8</u> .			
<ol> <li>Acknowledgment is made of a claim for foreign priority ur</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have</li> <li>2. Certified copies of the priority documents have</li> <li>3. Copies of the certified copies of the priority do</li> <li>International Bureau (PCT Rule 17.2(a)).</li> </ol> * Certified copies not received:	e been received. e been received in Applicat	ion No	ation from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) I including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
			•
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of	Informal Patent Application	•
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		Summary (PTO-413),	
3. ⊠ Information Disclosure Statements (PTO/SB/08),		o./Mail Date <u>20070625</u> . 's Amendment/Comment	
Paper No./Mail Date 11/13/06  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner	's Statement of Reasons for All	owance
. •	9.	— DUARDOC, ROBE	RT
		EDUARIDOC, NOBE	

Application/Control Number: 10/584,812

Art Unit: 3733

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Brent Moore on June 25, 2007.

The application has been amended as follows:

In claim 1, line 8, "the top" has been replaced with --a top--

In claim 3, line 2-3, "the relevant tool" has been replaced with --a relevant tool--

In claim 4, line 2-3, "the relevant tool" has been replaced with --a relevant tool--

In claim 5, line 1, "claim 1" has been replaced with--claim 3--

In claim 7, line 2, ", suitably tightened," has been deleted

In claim 7, line 2, --can be suitably tightened- -has been inserted after "the bar"

In claim 7, line 3, --ing-- has been added after "form"

In claim 8, line 1, "claim 1" has been replaced with--claim 3--

In the abstract, line 5, "said bar" has been change to --the bar--

In the abstract, line 8, "said nut" has been change to --he nut--

In the abstract, line 5, "means of" has been deleted.

Application/Control Number: 10/584,812 Page 3

Art Unit: 3733

The following is an examiner's statement of reasons for allowance: the prior art, including either alone or in combination with corresponding limitations as stated above, fails to teach or disclose the combination of the vertebral fixing device as disclosed in claim 1. There were no suitable findings disclosing a crew, a tulip that incorporates notches aligned with each other in which a bar is placed, a closing crew, an upper spherical wall, a lower conical wall, a rosette, an upper protuberance with a conical section and cylindrical section, an upper face with a series of flexible slats, separated slots forming a housing and a threaded section in combination as set in the claim.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael J. Araj whose telephone number is 571-272-5963. The examiner can normally be reached on M-F 8am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eduardo Robert can be reached on 571-272-4719. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MJA

SUPERVISORY PATENT EXAMINER